



Wells Plumbing and Heating Supplies, Inc.

Wells Sinkware Corp

Wells – Wentworth

TOSOT -

FAQ

Why do I see a label on my Wells SinkWare Sinks box that says this product may cause cancer or birth defects?

This label was included in your package as a way for Wells SinkWare Sinks to comply with the California Safe Water Act of 1986; also known as Prop 65, Many products sold in California are required to carry this label. We are providing this label to inform customers of the presence of said substances. Those substances may include the Nickel and Chromium found in Stainless Steel or other substances used in the production of the various products we offer such as titanium flecks in our granite composite sinks. All Wells SinkWare Sinks meet and exceed AB1953, a newer law that came into effect January 1, 2010 which mandates all sinks to have a lead content of no more than 0.25% weighted average to be considered “lead-free”.

If you claim that your product is safe. Why do you still include this label on your products?

The state of California requires that any product that contains any of the 900+ substances be labeled.

In our case, the exposure to these substances is required to be reported.

Where can I find out more information about Proposition 65?

The State of California provides Proposition 65 information on the Office of Environmental Health Hazard Assessment website.

www.p65warnings.ca.gov

Other information

<https://www.ssina.com/wp-content/uploads/2019/08/SSINA-Statement-re-Proposition-65-and-Stainless-Steel.pdf>